

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims

1. (currently amended) An HVAC controller for use in controlling one or more components of an HVAC system, the HVAC controller comprising:
a controller configured to control one or more components of the HVAC system during normal operation of the HVAC system, said controller adapted to determine if one or more service events occurred for one or more of the components of the HVAC system, wherein said controller makes the determination without first requiring a prompting by a user of the controller;
and
a display unit configured to display servicing information when a service event is determined by the controller.
2. (original) The HVAC controller of claim 1, wherein said servicing information includes a graphical representation of a logo.
3. (original) The HVAC controller of claim 2 wherein said servicing information includes a telephone number.
4. (original) The HVAC controller of claim 1 wherein said servicing information includes a service event code.
5. (original) The HVAC controller of claim 1 wherein said servicing information includes a description of the service event.

Application Serial No. 10/726,243
Response dated January 23, 2007
Reply to Office Action dated November 13, 2006

6. (original) The HVAC controller of claim 1, wherein said controller determines if a service event occurred by receiving a service event indicator from at least one of said one or more components.

7. (original) The HVAC controller of claim 1, wherein said controller determines if a service event occurred by determining if an equipment service event timer expired.

8. (canceled)

9. (original) The HVAC controller of claim 1, wherein said one or more components are one or more of a heating unit, a cooling unit, a ventilation unit, a filtration unit, a UV lamp unit, a humidifying/dehumidifying unit, a local sensor, and a remote sensor.

10. (original) The HVAC controller of claim 1, wherein said display unit comprises a touch screen.

11. (original) The HVAC controller of claim 1, wherein said display unit comprises an LCD panel.

12. (original) The HVAC controller of claim 1 further comprising a data input port coupled to the controller for uploading data to the controller.

13. (previously presented) The HVAC controller of claim 12 wherein the controller is adapted to receive a graphical representation of a logo via the data input port, and wherein the display unit is configured to display the logo when a service event is determined by the controller.

14. (original) The HVAC controller of claim 13 wherein the data input port is a wired port.

15. (original) The HVAC controller of claim 13 wherein the data input port is a wireless port.

16. (original) The HVAC controller of claim 1 wherein the controller determines if one or more service events occurred for one or more the components of the HVAC system by polling at least selected components of the HVAC system.

17. (original) The HVAC controller of claim 1 wherein at least some of the components of the HVAC system communicate with the controller over a network.

18. (original) The HVAC controller of claim 1 wherein at least some of the components of the HVAC system communicate with the controller via an I/O interface.

19. (currently amended) A programmable controller for use in controlling one or more components of a system, the controller comprising:

a controller configured to control one or more of the components of the system during normal operation of the system, said controller adapted to automatically determine if one or more service events occurred for one or more components of the system; and

a display unit in communication with the controller and configured to display a logo when a service event is determined by the controller.

20. (original) The controller of claim 19, wherein said display unit is configured to display a telephone number when a service event is determined by the controller.

21. (original) The controller of claim 19, wherein said display unit is configured to display a service event code when a service event is determined by the controller.

22. (original) The controller of claim 19, wherein said display unit is configured to display a description of the service event when a service event is determined by the controller.

23. (original) The controller of claim 19, wherein said system includes an HVAC system.

Application Serial No. 10/726,243
Response dated January 23, 2007
Reply to Office Action dated November 13, 2006

24. (original) The controller of claim 23, wherein said one or more components are one or more of a heating unit, a cooling unit, a ventilation unit, a filtration unit, a UV lamp unit, a humidifying/dehumidifying unit, a local sensor, and a remote sensor.

25. (original) The controller of claim 19, wherein said system includes a security system.

26. (original) The controller of claim 19, wherein said system includes a lighting system.

27. (original) The controller of claim 19, wherein said system includes a sprinkler or drip water system.

28. (original) The controller of claim 19, wherein said display unit comprises a touch screen.

29. (original) The controller of claim 19, wherein said display unit comprises an LCD panel.

30. (currently amended) An HVAC system, comprising:
one or more components for regulating a set of environmental conditions within a structure, and
a controller operatively connected to said one or more components and configured to control one or more of the components during normal operation of the HVAC system, said controller including display means for displaying servicing information when a service event is automatically detected by the controller.

31. (original) The HVAC system of claim 30, wherein said servicing information includes a logo and telephone number.

Application Serial No. 10/726,243
Response dated January 23, 2007
Reply to Office Action dated November 13, 2006

32. (original) The HVAC system of claim 30, wherein said service event comprises a service indicator from at least one of said one or more components.

33. (original) The HVAC system of claim 30, wherein said service event comprises an expired equipment service event timer.

34. (canceled)

35. (original) The HVAC system of claim 27, wherein said one or more components are one or more of a heating unit, a cooling unit, a ventilation unit, a filtration unit, a UV lamp unit, a humidifying/dehumidifying unit, and a remote sensor.

36. (currently amended) An HVAC system, comprising:
one or more components for regulating a set of environmental conditions within a structure, and
an HVAC controller operatively connected to said one or more components, said HVAC controller configured to control one or more of the components during normal operation of the HVAC system, said HVAC controller including an interface for programming a service event display mode in the HVAC controller, and display means for displaying servicing information when a service event is detected in at least one of said one or more components by the HVAC controller, wherein the HVAC controller detects a service event without having to be prompted by a user via the interface.

37. (currently amended) An HVAC controller for use in controlling one or more components of an HVAC system, the HVAC controller comprising:
a controller configured to control the one or more components of the HVAC system during normal operation of the HVAC system, said controller adapted to automatically determine if one or more service events occurred for one or more the components of the HVAC system;
and

Application Serial No. 10/726,243
Response dated January 23, 2007
Reply to Office Action dated November 13, 2006

notifying means for notifying a service provider when a service event is determined by the controller.

38. (previously presented) The HVAC controller of claim 37 wherein the service provider is one of a contractor, a service referral organization, a utility, a retailer, or a manufacturer.

39. (previously presented) The HVAC controller of claim 37 wherein the notifying means notifies a different service provider for two different service events.

40. (currently amended) A thermostat for controlling an HVAC system having one or more HVAC components, the thermostat comprising;
a housing;
a display secured relative to the housing;
a controller, situated in the housing, in communication with the display;
the controller adapted to control the HVAC system; and
the controller further adapted to determine if one or more service events occurred for one or more of the components of the HVAC system without requiring prompting from a user via a user interface of the controller ~~receiving control signals from outside of the housing.~~

41. (currently amended) A method for using a thermostat to alert a user of service events that correspond to the operation of one or more HVAC components, the method comprising;
using the thermostat to monitor the operation of one or more HVAC components over the lifetime of the thermostat;
automatically detecting a service event related to the operation of one or more of the HVAC components; and
alerting the user of the detected service event via the thermostat.

Application Serial No. 10/726,243
Response dated January 23, 2007
Reply to Office Action dated November 13, 2006

42. (previously presented) The method of claim 41, wherein said monitoring the operation of one or more HVAC components is reoccurring or continuous.